

OFFICE OF THE INSPECTOR-GENERAL OF POLICE IN MYSORE, BANGALORE.

Memo No. G. C. 317—37, dated the 26th April 1938.

Police Constable No. 177, Munisami of Kolar District, is permitted to change his name as
 • B. Munisami Reddy.

F. A. HAMILTON,
Inspector-General of Police.

"I, the undersigned, intend changing my name from H. V. Madhvaraja to H. V. Madhvaraja Rao."
 H. V. MADHVA RAJA.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 23998-24013, dated 25th April 1938.

To

*The Firms dealing in Motor Lorries.**Enquiry No. 2811.*

SIX-TON MOTOR LORRY—S.N.P.

GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for two motor lorries of the specification noted below:—

TWO—Petrol-driven Motor Lorries, carrying capacity 6 tons, complete with engine, chassis, usual accessories, spare tyre and tube and rim with body complete and conforming to the brief specification noted below:—

The engine of the lorry shall be of the 6-cylinder type with all accessories completely enclosed in dust-proof housing. The water pump and water circulating pipe shall be so designed that in the event of failure of the pump, the cooling of the engine shall be effected on Thermo-syphon principle. The engine shall have forced lubrication and an indicator shall be fitted on the dash-board for showing the oil circulation within the engine.

The Delco-system of ignition shall be adopted for the ignition of the fuel. The gear box shall be fitted with 4 speeds forward and one speed reverse. The clutch shall be of dry type with renewable and adjustable face rings. The lorry shall have a gasoline tank of sufficient capacity to contain enough fuel for a journey of at least 100 miles.

The lorry shall be fitted with wind shield with wiper side curtains for the driver's cab, two head lights, one rear lamp and two side lights and an electric vibrator horn and a bulb horn. The lorry shall be fitted with pneumatic tyres of suitable size for carrying a load of 6 tons, and twin tyres for the rear wheels, efficient brakes of the hydraulic type being provided for all the four wheels.

If the springs of the lorry be not sufficiently strong to take a 6-ton load, necessary supplementary springs shall be provided for the back wheels and also necessary rubber cushions between the axle and the centre of the springs.

Lorry Body:—

The lorries shall be fitted with open type lorry bodies with driver's cabs made out of best teakwood as per specification noted below:—

The driver's cab to be fitted with cushioned seat and back rest upholstered in black Rexine.

Side curtains to be fitted on either side of the driver's seat. Windscreen to front with wiper arm and fixed window in rear of cab shall be fitted.

Body to be built of 1" timber with 2½ ft. high sides and tail board drop and removable. The sides also to be of the collapsible type.

Sides and floor of body to be lined with 1/16" M. S. plate.

Sufficient number of holes to be drilled in the floor along each side of the body, these holes being not less than 1" in diameter, and plates being fixed top and bottom. Further angle iron brackets with holes drilled shall be fixed to the iron frame of the chassis at the sides so that the iron stanchions may pass through the wooden floor and the angle iron bracket to firmly support the sides.

Dimensions of the body to be 16 ft. long × 10' wide.

The tenderers should furnish with the quotations complete specifications and drawings describing the design and constructional features of the lorry offered; Maker's name, etc., to be mentioned; details, such as, average petrol and oil consumption on mileage basis, complete list of tools and spares, etc., should be given.

The lorries should be delivered at Bangalore. Usual guarantees with regard to satisfactory service for 12 months from the date of putting them into service, and replacement of breakages due to bad design, workmanship or defective materials, free of cost should be given by the suppliers.

How soon the lorries will be supplied after receipt of order should be specified.

A complete list of all spares and tools that will be supplied with the lorry must also be furnished.

The tendering firms should bind themselves to guarantee supplies of spare parts for the Motor Lorry quoted for by them for a period of at least five years.

The prices to be quoted should be for delivery free in Bangalore.

The enquiry will be closed on the 9th of May 1938.

No. S. P. C. 23881-90, dated 26th April 1938.

To

The Firms dealing in P. S. Tank and Steel Staging.

Enquiry No. 2810.

P. S. TANK AND STEEL STAGING REQUIRED FOR BOWRINGPET WATER SUPPLY.

GENTLEMEN,

Please be good enough to intimate your best prices for delivery f.o.r., Bowringpet and the earliest time of delivery for the materials described below :—

One pressed steel tank of 4,800 gallons in capacity on 20 feet steel staging substantially designed.

The tank should be completely covered at top with dust-proof man-hole cover, gauge and accessible ladder should also be included. The steel plates and the staging should be according to the specification noted below.

The tank should consist of pressed steel 4 ft. plates, the thickness of all the bottom plates and the lower half of the side plates being $\frac{1}{4}$ " thick and the upper half being $\frac{3}{16}$ " thick. The tank should be provided with $\frac{1}{2}$ " thick mild steel plate covering supported on angle iron rafters with gentle slope for draining out all water. A Dust proof man-hole cover 21" in diameter with necessary locking arrangement should also be provided for. The tank should have suitable stays inside. A steel ladder to get into the tank from the man-hole should be included with necessary fixtures.

A suitable level indicator with necessary pulleys, float etc., should be provided for with a prominent gauge board.

Sufficient quantity of proper jointing materials, lead tubing, bolts and nuts with washer, etc., complete should be sent to enable the erection being done at site of works.

The staging 20 ft. high to support the above tank should consist of angle iron or channel iron stanchions and with angle iron bracings of suitable dimensions and the stanchions should be provided with suitable base plates and foundation bolts, etc.

Proper section of main joints either channel I beam with top joints for supporting the tank should be included.

The staging parts should be erected at the works and each part accurately numbered so that they could be assembled at site easily. All the bolts holes should be accurately done.

A suitable ladder from the ground to the top of the tank should be included to facilitate climbing up the tank and all the necessary fixtures and struts to the same should be completely given.

It is preferable to provide gusset plates for the bracings instead of direct joints to the stanchions. Two sets of correct working drawings with complete dimensions of all parts should be sent to facilitate erection.

Time of delivery of the materials should be before 1st June 1938. This period should be strictly adhered to. The drawings should be sent well in advance.

The tank and the staging materials have to be painted with a coat of red oxide paint before despatch.

The dimensioned sketch of the tank and staging should be sent with the quotation, otherwise the quotation will not be considered.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for P. S. Tank and Steel Staging required for Bowringpet Water Supply" with the above enquiry Number.

This enquiry will be closed on the 2nd of May 1938.

Yours faithfully,

T. RANGASWAMI,

Secretary,

Stores Purchase Committee.

No. S. P. C. 23844, dated 22nd April 1938.

NOTICE.

Enquiry No. 2797.

STATION POWER TRANSFORMERS FOR SHIMSHA NEW PROJECT.

Sealed tenders will be received by the undersigned for the supply of four Station Power Transformers required for Shimsha New Project. Full specifications of the materials will be furnished on application.

The closing date of the enquiry is 16th June 1938.

By Order,

T. RANGASWAMI,

Secretary,

Stores Purchase Committee.

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, both in India and Foreign Countries, during the week ending Saturday the 19th February 1938.

Indent & Enquiry No.	Description of material	Quantity	Name of firm	Value of order
<i>Local.</i>				Rs. a. p.
4264	Copper sulphate 98/100 per cent best quality in fine large crystals continental make packed in 5 cwt. strong gunny covered hard wood casks.	(110 tons total).	Messrs :— Havero Trading Co., Ltd., Madras.	
2653		18 tons		393 4 0 per ton f.o.r.
		32 "		Arasalu Railway Station.
		12 "		391 11 0 per ton, f.o.r.
		15 "		Shimoga.
		12 "		408 1 0 per ton, f.o.r.
		5 cwt.		Sagar.
		15 tons		394 1 4 per ton, f.o.r.
		1 ton		Narasimharajapur.
		4 tons		398 4 0 per ton, f.o.r.
				Chikmagalur
				Out-Agency.
				389 4 8 per ton, f.o.r.
				Hassan.
				390 3 8 per ton, f.o.r.
				Tarikere.
				380 1 0 per ton, f.o.r.
				Bangalore City
4265	Castor oil. Pure, medicinal, tasteless and odourless in tins of 38 lbs. nett oil.	12,000 lbs.	Raojibhai M. Patel, Baroda	8 14 0 per tin, delivered in tins uncased or 9-4-0 per tin if two tins are packed in a case, f.o.r. Bangalore City.
2666				
4267	Rubber Gloves, "Leyland" tested to 10,000 volts, size 9,18" long.	25 pairs	Burn & Co., Calcutta	6 1 0 per pair, f.o.r.
2633	Rubber Gloves "Leyland" tested to 10,000 volts, size 10,18" long.	40 pairs	Do. do	6 7 6 do
4268	Methanol, water white in 45 gallon drums.	5,000 lbs.	Mysore Iron & Steel Works, Bhadravati.	At their billing price
2428				
4269	Food grains for the Military Department.		Rai Bahadur Nandkishore, Delhi	48,559 9 6
2661			C. Venkataswamappa, Bangalore City.	58,217 12 0
			N. Papanna & Bros., Mysore	9,462 6 9
			G. Munisam Singh & Sons, Bangalore.	4,638 11 0
			A. Varadarajulu Naidu	2,838 0 0
			M. Nagalingam	4,539 14 9
			Sri Ramalingeswara Mills, Mysore.	726 13 0
4270	Tyres "Avon" 6.00 x 20, Bus standard.	Four	Mudaliar & Co., Bangalore City	181 1 0 lot, f.o.r. Bangalore City.
4271	Road Roller 5—6 ton, multi-cylinder three-wheeled, standard type	One	John Fowler & Co., (India) Ltd., Bombay.	8,025 0 0 nett, delivered and erected at Tumkur.
2645	"Fowler" Diesel with accessories complete including erection.			
4272	Tyres Continental 6.50 x 20 transport heavy duty.	Four	The Raja Cycle & Motor Works	57 0 0 each, f.o.r. Tumkur.
<i>Foreign.</i>				
2255	Extn. Leatheroid 16 mils thick in rolls of 100 lbs.	1,000 lbs.	Attwater and Sons, England	Sh. 1-2½ d. per lb. c.i.f. Madras.
	Extn. Leatheroid 1-16" thick in rolls of 100 lbs.	800 lbs.	Do do do	1-1 d. per lb. c.i.f. Madras.
	Extn. Leatheroid 4" thick in rolls of 100 lbs.	1,000 lbs.	Do do do	1-4 d. per lb. c.i.f. Madras.
	Varnished paper 3 mils thick in rolls of 100 lbs.	10,000 yards	Do do do	7-½ d. a yard, c.i.f. Madras.
	3 m.m. bore yellow empire tubing 3.9" long, 5 m.m. 7 m.m. 10 m.m. rolls of 100 lbs.	15 gr. yds.	Do do do	12-9 d. a gr. yd. do
		30 "	Do do do	17 do do
	Egyptian cotton tape ¾" wide in 72 yards rolls.	900 gr. yds.	Do do do	2-4 d. do do
	Egyptian cotton tape 1" wide in 72 yards rolls.	900 "	Do do do	2-10 d. do do
2445	Cables V. I. R. insulated, taped and double weatherproof, Braided.			
2524	Number and diameter of wires comprising conductor/inch.			
	1—.064	29,500 ft.	Felten & Guilleaume Carlswerk, Germany.	£. s. d. 2 3 3 per 1,000 ft. c.i.f. Madras.
	1—.08	17,500 "		2 12 6 do
	7—.024	66,000 "		2 9 0 do
	7—.03	63,500 "		2 16 9 do
	7—.038	7,000 "		3 11 0 do
	7—.048	13,500 "		4 11 9 do
	7—.061	18,000 "		6 1 3 do
	7—.077	4,500 "		8 2 9 do
	7—.098	3,250 "		11 12 0 do

Indent & Enquiry No.	Description of material	Quantity	Name of Firm	Value of order
<i>Foreign.</i>	Cables V. I. R. Insulated and Lead sheathed.		Messrs :— Felten & Guilleaume Carlswerk, Germany.	£ s. d.
	7—.024	14,000 ft.		9 10 0 per 1,000 ft. c.i.f.,
	7—.03	4,900 "		12 1 4 do Madras.
	7—.038	900 "		13 19 4 do
	7—.048	600 "		16 14 5 do
	7—.061	640 "		22 8 5 do
	Cable V. I. R. Insulated No. 10 B. & S. for 3,000 volts.			
	7—.0385	4,800 "		4 11 9 do
2445	Do do	10,000 "		4 11 9 do
<i>Extn.</i>				
2447	Record Rolls for recording voltmeter No. 909428 type, C. D. 4 cycles, 25 volts.	200	International General Electric Co., Bangalore City.	Rs. 588 0 0 lot, c.i.f., Madras.
2629	Record Rolls for recording voltmeter No. 816132 type C, 7 cycles, 25 volts.	75	Do do do ..	184 0 0 do

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, both in India and Foreign Countries, during the week ending Saturday the 26th February 1938.

<i>Local.</i>			Messrs :—	Rs. a. p.
4275	Hoop Iron M. S. Size $\frac{1}{4}$ " $\times$ $\frac{1}{2}$ " ..	2 tons	Raval & Co., Bangalore City ..	9 6 0 per cwt., f.o.r., Bangalore.
2695				
4276	White cotton Banians V neck half sleeves with tri-coloured borders, size 34".	505	Abdul Curcem & Sons, Bangalore City.	0 10 6 each, free delivery at the Military Stores.
2686	Do do do size 36"	451	Do do	0 10 9 do do
4248	Ammeter, Weston Model No. 433, double range 0.1-5 and 0.3 amp. portable A.C.	One	Anantharam Bros., Bangalore	144 12 0 free delivery.
<i>Extn.</i>				
4280	Distance wedge adjustable in leather case with 2 staves and 2 supports.	One	Lawrence & Mayo, Ltd., Madras	550 0 0 f.o.r., Bangalore.
2542	Precise Telemeter in leather case with two staves and two supporters.	One	Do do ..	680 0 0 do
4281	Second-Hand Steel Rails flat footed 50 lbs. section 30-ft. long dead straight.	1,162	Gopal & Co., Madras	29 0 0 per rail, f.o.r., Mysore or Krishnarajasagar.
2689				
4282	Mild Steel Plates 20' $\times$ 5' $\times$ $\frac{1}{4}$ " ..	70 sheets	The Bangalore City Hardware Co., Bangalore.	10 0 0 per cwt. f.o.r., Bangalore City.
2693				
4283	Crude Oil Engine, 'National' 'B' series, new design.	One	Alfred Herbert (India), Ltd., Madras.	2,030 0 0 f.o.r., Bangalore City.
2591	Patent single cylinder horizontal with two heavy fly wheels, complete with accessories.			
	Oil Engine—Crossley Horizontal cold starting four stroke, single cylinder type "H. D. 6" with 2 fly wheels, starting handles, etc.	One	Mr. M. Ramiah, Bangalore City	2,275 0 0 f.o.r., Bangalore City.
<i>Foreign.</i>				
2449	Vetiver Oil	One cwt.	Polak & Schwarz, Ltd., Holland	Sh. 19 per lb. c.i.f., Madras.
2361				

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, both in India and Foreign Countries during the week ending Saturday the 5th March 1938.

<i>Local.</i>			Messrs :—	Rs. a. p.
4285	Gun powder, good and dry, composition of the material in proportion of 75 : 10 : 15 by weight of salt-petre, sulphur and charcoal, respectively.	17,500 lbs.	Syed Abdul Khuddus, Mysore	0 3 6 per lb, free delivery at Sivamudram.
2642	Do do do			
4287	Refrigerator, all steel, capacity 7.2 C.ft. ice making capacity 11 lbs., operation on 220 volts, 60 cycles A. C.	17,500 "	Mr. Gurusanthappa, Davangere	0 3 6 do
		One	International General Electric Co., Bangalore.	615 0 0 delivered and installed at the Hospital, Bangalore.
4288	Do do do 25 cycles.	One	Do do ..	650 0 0 do Shimoga.
2704				
4299	Portable weighing machine capacity 10 cwt. and 14 railway maunds fitted with 'P' type steel yard and back rail complete.	One	W. & T. Avery, Ltd., Madras.	432 10 0 each including insurance to final destination f.o.r., Madras.
<i>Extn.</i>				
4289	Fire clay Sinks, best quality, English, white glazed, size 48" $\times$ 24" complete with plug, chain and cantilever brackets.	Three	Balsara & Co., Bombay	135 0 0 each, f.o.r., Bombay.
2687				

Indent & Enquiry No.	Description of material	Quantity	Name of Firm	Value of order
<i>Local.</i> 4290	Cable No. 8 B. & S. (7—044") single core, 5,000 volts varnished cambric insulated taped braided.	600 ft.	Messrs :— Crompton Engineering Co., Madras.	Rs. a. p. 254 0 0 lot, f.o.r., Belagola.
2594	Cable No. 6 B. & S. (7—064") single core 5,000 volts, varnished cambric insulated taped braided.	300 ft.	Do do do	165 0 0 do do
	Cable No. 10 B. & S. (7—036") do do do	300 "	Do do do	139 0 0 do do
	Cable No. 10 B. & S. (7—036") do do do	1,000 "	Do do do	172 0 0 do do
4291	Precision Milling & Drilling machine arranged for self contained motor drive.	One	William Jacks & Co., Madras	1,437 0 0 f.o.r., Bangalore.
2379	One set of 12 cutters of special steel	One set	Do do do	140 0 0 per set, f.o.r., Bangalore.
	Drilling machine "Webo" motor driven, super high speed.	One	Do do do	651 4 0 do do
4292	Rubber Hose, Goodrich type 3" and 4 ply having a working pressure of 500 lbs. and bursting pressure of 1,500 lbs.	4,400 ft.	Byramshaw's Agencies, Bangalore.	0 4 8 per ft. f.o.r. at the respective destinations less a special discount of 10 per cent.
2655				less 10 per cent, f.o.r., Bangalore City.
4293	Screwing machine, $\frac{3}{4}$ " "Duplex" fitted with self opening die-heads.	One	Alfred Herbert (India), Ltd., Madras.	1,500 0 0
<i>Foreign.</i> 2212	Moulding powders—Scarab	200 cwts.	Beetle Products Co., Ltd., London.	10 d. per lb. c.i.f., Madras, subject to 2½ per cent cash-discount.
<i>Extn.</i> 2456	Diamond Drill bit, to fit the barrel of Diamond core drilling machine for cutting 1" dia. cores from very hard granite stone.	One	Tinius Osten Testing Machine Co., Philadelphia.	\$ 50.00 f.o.b., Philadelphia.
2285				
2457	<i>Bogie Covered Wagons.</i> —43' long overhead stocks 7'—6" wide inside body including cast steel bogie trucks, volts, nuts, rivets complete with wheels and axles.	15	Societe Metallurgique d' Saint Eloi, Belgium.	£ 10,350 0 0 c.i.f., Madras.
2403	<i>Goods Wagons.</i> —Open, four wheeled 21'—6" long overhead stocks 7'—6" wide inside body 12' wheel base complete with wheels and axles.	17	Do do do	£ 5,480 0 0 do
	<i>Timber Trucks.</i> —Four wheeled 21'—6" long overhead stocks 7'—6" wide 12' wheel base complete with wheels and axles.	3	Do do do	£ 1,017 15 0 do
	Extras	Lot	Do do do	£ 12 15 0 do
2460	Transformers 25 cycles, 50 K. V. A. single phase, oil immersed self cooled outdoor type.	Six	International General Electric Co., Bangalore City.	\$ 1800.00 lot, f.a.s., New York.
2609				
2461	Frequency Indicating meters, type A. R. 4, 25 cycles, 110 volts.	Two	Do do do	Rs. 488 0 0 lot, c.i.f., Madras
2751				

T. RANGASWAMI,
Secretary,
Stores Purchase Committee.